



RRANGEMASTER
SYSTEMS

SCLEDMD Scoreboard Technical data & Installation

SHYMKENT SHOOTING CENTER				24:00:08	
NOC	BIB	NAME	SCORE	TOT	R
KAZ	0001	POCHIVALOV, O	23	23	1
KAZ	0002	POCHIVALOV, D	22	22	2
KAZ	0003	FEDEROV, A.	22	22	2
KAZ	0004	MOGELEVSKY, A	22	22	2
KAZ	0005	KHASSYANOV, V	22	22	2
KAZ	0006	DAVIDOVA, A	22	22	2

Order code: SCLEDMD
Rev.data: 12.01.2021


DESCRIPTION

Rangemaster SCLEDMD is a high resolution ultra - bright outdoor scoreboard used for showing qualification scores during clay target shooting competitions.





TECHNICAL DATA

Font Size:	Adjustable (usually 100mm)
Font:	Selectable
Background:	Selectable
Hits/losses:	Color, width and space settable
Readability:	3-65m, fully daylight capable
Viewing angle:	Horizontal:170°, Vertical: 170°
Dimension:	Width: 2500mm, Height: 1000mm
Temperature range:	-30°C to +50°C
Power Input:	110-240V, 2000W typical (depending on % of white background)
Data transmission:	CAT 7-S/FTP
Cooling:	Passive, sealed enclosure
Weight:	About 75 kg


INSTALLATION - VERSION 1







LEGEND

-  - Soil with concrete base support
-  - Power cable pipe 50 mm; Cable: 3x2.5mm² (PE/N/L)
-  - Data cable pipe 50 mm; Cable: CAT7 S/FTP
-  - Iron U-frame, 3 mm or Alloy U-frame, 4mm

INSTALLATION - VERSION 2



LEGEND

-  - Soil with concrete base support
-  - Power cable pipe 50 mm; Cable: 3 x 2.5mm² (PE/N/L)
-  - Data cable pipe 50 mm; Cable: CAT7 S/FTP
-  - Alloy U-frame, 5mm

LIMITED WARRANTY

Rangemaster Systems gives a limited warranty on this products against defects in material or workmanship for time of 12 months.

This period starts upon receipt of the product.

Rangemaster Systems will not be liable for loss of data or loss of profit or turnover due to a defect.

The warranty only includes repair or replacement of defect components, which failed during daily use. "Daily use" has to be read as: Use in accordance to specifications and in intended use.

General information & warranty exclusions: Damages due to water, moisture, vandalism, lightening, surges over power line or power supply, usage outside of specifications, dropping the product, excessive heat or cold (both for operation and storage) damages because of dropping the product, unnecessary force, damages because of empty or discharged batteries or accumulators are warranty exclusions and do not entitle you for a free of charge repair or replacement.

In case of chip card readers with contacts are built in the product. Items or dirt inside the reader are warranty exclusions.

In case of touch screens are built in the product: Damages due to improper use (using something else than your finger) causing scratches or punctures on the screen or on the touch surface will not be covered with warranty.